Weed Research, 1996, Volume 36, 521–525

AUTHOR INDEX 1996

ABBASHER A.A. *see* KROSCHEL J. *et al.*, 515
ANDERSSON L. Characteristics of seeds and seedlings from weeds treated with sublethal herbicide doses, 55
ANDREASEN C. *see* HEISEL *et al.*, 325
ANGONIN C., CAUSSANEL J.-P. & MEYNARD J.-M. Competition between winter wheat and *Veronica hederifolia*: influence of weed density and the amount and timing of nitrogen application, 175
ANTONOVA T.S. & TER BORG S.J. The role of peroxidase in the resistance of sunflower against *Orobanche cumana* in Russia, 113
ARIAS S.P. *see* SATORRE *et al.*, 431

BARRALIS G. *see* DESSAINT *et al.*, 143
BASKIN C.C., BASKIN J.M. & EL-MOURSEY S.A. Seasonal changes in germination responses of buried seeds of the weedy summer annual grass *Setaria glauca*, 319
BASKIN J.M. *see* BASKIN *et al.*, 319
BAYER D.E. *see* KYU-OCK YIM & BAYER, 49
BERTI A. & SATTIN M. Effect of weed position on yield loss in soyabean and a comparison between relative weed cover and other regression models, 249
BOND W. *see* GRUNDY *et al.*, 375
BOURDÔT G.W., SAVILLE D.J., HURRELL G.A. & DALY M.J. Modelling the economics of herbicide treatment in wheat and barley using data on prevented grain yield losses, 449
BRAIN P. *see* CUSSANS *et al.*, 133
BUHLER D.D., MESTER T.C. & KOHLER K.A. The effect of maize residues and tillage on emergence of *Setaria faberi*, *Abutilon theophrasti*, *Amaranthus retroflexus* and *Chenopodium album*, 153
BULCKE R. *see* ROUCHAUD *et al.*, 105

CAIXINHAS M.L. *see* DESSAINT *et al.*, 143
CALLENS D. *see* ROUCHAUD *et al.*, 105
CAUSSANEL J.-P. *see* ANGONIN *et al.*, 175
CHAMEL A. *see* SANTIER & CHAMEL, 167
CHAPMAN P. *see* DUNAN *et al.*, 259
CHRISTENSEN S. *see* LOTZ *et al.*, 93
CHRISTIANSEN L.J. *see* JØRNSGÅRD *et al.*, 461
CLARK S.J., PERRY J.N. & MARSHALL E.J.P. Estimating Taylor's power law parameters for weeds and the effect of spatial scale, 405
CLOUTIER D. *see* LOTZ *et al.*, 93
COETZER R.L.J. *see* SEREDA *et al.*, 21
COOMBES N.E. *see* LEMERLE D. *et al.*, 505
CORNEJO J. *see* COX *et al.*, 419
COURTNEY A.D. *see* HILL *et al.*, 15
COUSENS R.D. *see* LEMERLE D. *et al.*, 505
COX L., WALKER A., HERMOSIN M.C. & CORNEJO J. Measurement and simulation of the movement of thiazafluron, clopyralid and metamitron in soil columns, 419
CUMBERWORTH S. *see* CUSSANS *et al.*, 133
CUSSANS G.W. *see* HEIMANN & CUSSANS, 493
CUSSANS G.W. *see* REW *et al.*, 283
CUSSANS G.W., RAUDONIUS S., BRAIN P. & CUMBERWORTH S. Effects of depth of seed burial and soil aggregate size on seedling emergence of *Alopecurus myosuroides*, *Galium aparine*, *Stellaria media* and wheat, 133

© 1996 European Weed Research Society

DALY M.J. *see* BOURDÔT *et al.*, 449
DANIELOU V. *see* LEFOL *et al.*, 189
DARMENCY H. *see* LEFOL *et al.*, 189
DESSAINT F., BARRALIS G., CAIXINHAS M.L., MAYOR J.-P., RECASENS J. & ZANIN G. Precision of soil seedbank sampling: how many soil cores?, 143
DEVILLIERS B. *see* NALEWAJA *et al.*, 241
DITOMASO J.M. *see* LASAT *et al.*, 303
DOLLING A. Changes in *Pteridium aquilinum* growth and phytotoxicity following treatments with lime, sulphuric acid, wood ash, glyphosate and ammonium nitrate, 293
DUNAN C.M., WESTRA P., MOORE F. & CHAPMAN P. Modelling the effect of duration of weed competition, weed density and weed competitiveness on seeded, irrigated onions, 259

EL-MOURSEY S.A. *see* BASKIN *et al.*, 319
ERASMUS D.J. *see* SEREDA *et al.*, 21
ERSBØLL A.K. *see* HEISEL *et al.*, 325

FERNANDEZ QUINTANILLA C. *see* LOTZ *et al.*, 93
FERNANDEZ QUINTANILLA C. *see* NAVARRETE & FERNANDEZ QUINTANILLA, 123
FERRERO A. Prediction of *Heteranthera reniformis* competition with flooded rice using day-degrees, 197
FLEURY A. *see* LEFOL *et al.*, 189
FLYNN A.G. *see* HOLLAWAY *et al.*, 369
FRANTZEN J. *see* MÜLLER-SCHÄRER & FRANTZEN, 483

GRIGOROV P. *see* MILANOVA & GRIGOROV, 31
GRUNDY A.C., MEAD A. & BOND W. Modelling the effect of weed-seed distribution in the soil profile on seedling emergence, 375
GUSTIN F. *see* ROUCHAUD *et al.*, 105

HALLAM N.D. *see* HOLLAWAY *et al.*, 369
HAMILL A.S. *see* ZHANG & HAMILL, 471
HANNAH M. C. *see* STORK & HANNAH, 271
HART J.J. *see* LASAT *et al.*, 303
HARVEY B.M.R. *see* HILL *et al.*, 15
HEIMANN B. & CUSSANS G.W. The importance of seeds and sexual reproduction in the population biology of *Cirsium arvense* – a literature review, 493
HEISEL T., ANDREASEN C. & ERSBØLL A.K. Annual weed distributions can be mapped with kriging, 325
HERMOSIN M.C. *see* COX *et al.*, 419
HILL A.L., COURTNEY A.D. & HARVEY B.M.R. An assessment of the possible reasons for differential tolerance to fluroxypyr in selected populations of *Galium aparine*, 15
HILL J. *see* JØRNSGÅRD *et al.*, 461
HOLLAWAY K.L., HALLAM N.D. & FLYNN A.G. Synergistic joint action of MCPA ester and metsulfuron-methyl, 369
HOLT J.S. *see* WILEN & HOLT, 213
HSIAO A.I. *see* XIE *et al.*, 65
HUME J.A. *see* XIE *et al.*, 65
HUNDT A. *see* KROSCHEL J. *et al.*, 515
HURRELL G.A. *see* BOURDÔT *et al.*, 449

JØRNSGÅRD B., RASMUSSEN K., HILL J. & CHRISTIANSEN L.J. Influence of nitrogen on competition between cereals and their natural weed populations, 461

KETTLER J.S. Weeds in the traditional slash/mulch practice of *frijol tapado*: indigenous characterization and ecological implications, 385
KIRKWOOD R.C. *see* SHARMA *et al.*, 227

KOCHIAN L.V. *see* LASAT *et al.*, 303
KOHLER K.A. *see* BUHLER *et al.*, 153
KROSCHEL J., HUNDT A., ABBASHER A.A. & SAUERBORN J. Pathogenicity of fungi collected in northern Ghana to *Striga hermonthica*, 515
KYU-OCK YIM & BAYER D.E. Root growth inhibition of rice by bensulfuron, 49

LASAT M.M., DITOMASO J.M., HART J.J. & Kochian L.V. Resistance to paraquat in *Hordeum glaucum* is temperature dependent and not associated with enhanced apoplasmic binding, 303
LEFOL E., DANIELOU V., FLEURY A. & DARMENCY H. Gene flow within a population of the outbreeding *Sinapis arvensis*: isozyme analysis of half-sib families, 189
LÉGÈRE A. *see* LOTZ *et al.*, 93
LEMERLE D., VERBEEK B., COUSENS R.D. & COOMBES N.E. The potential for selecting wheat varieties strongly competitive against weeds, 505
LEMIEUX C. *see* LOTZ *et al.*, 93
LOTZ L.A.P., CHRISTENSEN S., CLOUTIER D., FERNANDEZ QUINTANILLA C., LÉGÈRE A., LEMIEUX C., LUTMAN P.J.W., PARDO IGLESIAS A., SALONEN J., SATTIN M., STIGLIANI L. & TEI F. Prediction of the competitive effects of weeds on crop yields based on the relative leaf area of weeds, 93
LUTMAN P.J.W. *see* LOTZ *et al.*, 93

MARSHALL E.J.P. *see* CLARK *et al.*, 405
MATYSIAK R. *see* NALEWAJA *et al.*, 247
MAYOR J.-P. *see* DESSAINT *et al.*, 143
MEAD A. *see* GRUNDY *et al.*, 375
MELACINI A. *see* WALKER *et al.*, 37
MESTER T.C. *see* BUHLER *et al.*, 153
MEYNARD J.-M. *see* ANGONIN *et al.*, 175
MILANOVA S. & GRIGOROV P. Movement and persistence of imazaquin, oxyfluorfen, flurochloridone and terbacil in soil, 31
MILLER P.C.H. *see* REW *et al.*, 283
MOON Y.-H. *see* WALKER *et al.*, 37
MOORE F. *see* DUNAN *et al.*, 259
MUGGLESTONE M.A. *see* REW *et al.*, 283
MÜLLER-SCHÄRER H. & FRANTZEN J. An emerging system management approach for biological weed control in crops: *Senecio vulgaris* as a research model, 483

NALEWAJA J.D., DEVILLIERS B. & MATYSIAK R. Surfactant and salt affect glyphosate retention and absorption, 247
NAVARRETE L. & FERNANDEZ QUINTANILLA C. The influence of crop rotation and soil tillage on seed population dynamics of *Avena sterilis* ssp. Ludoviciana, 123

ONOFRI A. Biological activity, field persistence and safe recropping intervals for imazethapyr and rimsulfuron on a silty-clay soil, 73

PARDO IGLESIAS A. *see* LOTZ *et al.*, 93
PASTOR M. *see* SAAVEDRA & PASTOR, 1
PERRY J.N. *see* CLARK *et al.*, 405
POWLES S.B. *see* PURBA *et al.*, 311
PRESTON C. *see* PURBA *et al.*, 311
PURBA E., PRESTON C. & POWLES S.B. Growth and competitiveness of paraquat-resistant and susceptible biotypes of *Hordeum leporinum*, 311

QUICK W.A. *see* XIE *et al.*, 65

RASMUSSEN K. *see* JØRNSGÅRD *et al.*, 461
RAUDONIUS S. *see* CUSSANS *et al.*, 133

RECASENS J. *see* DESSAINT *et al.*, 143
REW L.J., CUSSANS G.W., MUGGLESTONE M.A. & MILLER P.C.H. A technique for mapping the spatial distribution of *Elymus repens*, with estimates of the potential reduction in herbicide usage from patch spraying, 283
RIZZO F.A. *see* SATORRE *et al.*, 431
ROUCHAUD J., GUSTIN F., CALLENS D. & BULCKE R. Atrazine soil metabolism in maize fields treated with organic fertilizers, 105

SAAVEDRA M. & PASTOR M. Weed populations in olive groves under non-tillage and conditions of rapid degradation of simazine, 1
SABADIE J. Alcoholysis and chemical hydrolysis of bensulfuron-methyl, 441
SALONEN J. *see* LOTZ *et al.*, 93
SANTIER S. & CHAMEL A. Penetration of triolein and methyl oleate through isolated plant cuticles and their effect on penetration of [^{14}C]quizalofop-ethyl and [^{14}C]fenoxaprop-ethyl, 167
SATORRE E.H., RIZZO F.A. & ARIAS S.P. The effect of temperature on sprouting and early establishment of *Cynodon dactylon*, 431
SATTIN M. *see* BERTI & SATTIN, 249
SATTIN M. *see* LOTZ *et al.*, 93
SAUERBORN J. *see* KROSCHEL J. *et al.*, 515
SAVILLE D.J. *see* BOURDÔT *et al.*, 449
SEMB K. Growth characteristics of spring barley and selected weeds. I. Effect of irradiance in growth chambers, 9
SEMB K. Growth characteristics of spring barley and selected weeds. II. Effect of temperature and irradiance in growth chambers, 353
SEREDA B., ERASMUS D.J. & COETZER R.L.J. Resistance of *Amaranthus hybridus* to atrazine, 21
SHARMA S.D., KIRKWOOD R.C. & WHATELEY T.L. Effect of non-ionic nonylphenol surfactants on surface physicochemical properties, uptake and distribution of asulam and diflufenican, 227
SMITH M.C. & WEBB M. Estimation of the seedbank of *Striga* spp. (Scrophulariaceae) in Malian fields and the implications for a model of biocontrol of *Striga hermonthica*, 85
SMITH M.C. *see* WEBB & SMITH, 203
STIGLIANI L. *see* LOTZ *et al.*, 93
STORK P. & HANNAH M.C. A bioassay method for formulation testing and residue studies of sulfonylurea and sulfonanylide herbicides, 271

TEI F. *see* LOTZ *et al.*, 93
TER BORG S. J. *see* ANTONOVA & TER BORG, 113

VAN HEZEWIJK M.J. & VERKLEIJ J.A.C. The effect of nitrogenous compounds on *in vitro* germination of *Orobanche crenata* Forsk, 395
VERBEEK B. *see* LEMERLE D. *et al.*, 505
VERKLEIJ J.A.C. *see* VAN HEZEWIJK & VERKLEIJ, 395

WALKER A. *see* COX *et al.*, 419
WALKER A., WELCH S.J., MELACINI A. & MOON Y.-H. Evaluation of three pesticide leaching models with experimental data for alachlor, atrazine and metribuzin, 37
WEBB M. & SMITH M.C. Biology of *Striga hermonthica* (Scrophulariaceae) in Sahelian Mali: effects on pearl millet yield and prospects of control, 203
WEBB M. *see* SMITH & WEBB, 85
WELCH S.J. *see* WALKER *et al.*, 37
WESTRA P. *see* DUNAN *et al.*, 259
WHATELEY T.L. *see* SHARMA *et al.*, 227
WILEN C.A. & HOLT J.S. Physiological mechanisms for the rapid growth of *Pennisetum clandestinum* in Mediterranean climates, 213

XIE H.S., HSIAO A.I., QUICK W.A. & HUME J.A. Influence of water stress on absorption, translocation and phytotoxicity of fenoxaprop-ethyl and imazamethabenz-methyl in *Avena fatua*, 65

ZANIN G. *see* DESSAINT *et al.*, 143
ZHANG J. & HAMILL A.S. Responses of *Abutilon theophrasti* to agricultural management systems, 471.